

FIG. 1





FIG. 2

=<u>1</u>G. 3



**FIG. 4** 

MaxMind<sup>TM</sup>

Behavior Engine

Virtual World

Human User

Camer Story Engine

Fination System

Animation System

Animation System






FIG. 6





	Danilian Lat.	nesulling Denavior		Complain		Withdraw		O COOCH	Carabo	Tourse dissolved and	Laugh, display pieasure		Display sorrow		Ctotto Ctotto
1	C.MO(10)		Anger		Disonst	10mgor	3000	1 C C		\or		ACTION.	WOTTON .	Cumrica	Control Direct
 I rigger conditions	ŀ	Difficulty in achieving one		Presence of an implesing etimining	Shilling Ship	Threatening Committee	THE STIME STIME STIME STIME		Success in achieving goal		Froinged absence of desired etim	Shining To moon to	-	Sanneri Sannas	

FIG. 8




Image Composite.(existing metaphor)	Animation Composite
Pixel	Animation channel, or animation curve, or Degree of Freedom (DOF), or a floating point number changing over time.
Layer	An animation, a collection of animation channels over time, a Skill.
Transparency	An animation in a layer can be sparse; it does not need to "touch" every channel. Empty animation channels correspond to transparent pixels.
Blend mode	Applies to animation data as well, determines the type and percentage contribution of each layer.

FIG. 10





FIG. 11







FIG. 13

۲






FIG. 15




FIG. 16





FIG. 17



,




FIG. 19




FIG. 20

X S0	Internet Explorer	Netscape	Safari
Windows	Internet Explorer	Netscape	

FIG. 21




FIG. 22

	1		7		···			
Purpose	3D models	3D models	3D models, animations	3D models, animations	3D models, animations	Sound/music	Sound/music	Image
Owner/3 <sup>rd</sup> Party	AutoDesk	Alias Wavefront	Alias Wavefront	Alias Wavefront	Discreet	•	•	•
Name	DXF	AW Object	Maya Binary	Maya ASCII	3D Studio MAX	Wave	MIDI	JPEG
Suffix	Jxp.	jdo.	qm.	.ma	.max	waw.	pim.	8di.

FIG. 23





FIG. 24






FIG. 26




FIG. 27




FIG. 28




FIG. 29







FIG. 30







Negative	User encourages sad or bored behavior in the character	User's negative interaction with character continues throughout virtual worlds	The consistency with which the user interacts in a negative way	User allows and does not stop negative influence of antagonist	User feeds a sickly food to the character
Positive	User interacting in a happy, positive way with the character	User's positive interaction with character continues throughout virtual worlds	The consistency with which the user interacts in a positive way	User increases character's level of happiness	User feeds a healthy, good, often "branded" food to the character
	Temperament	Pervasiveness	Permanence	Aid	Nourishment

FIG. 34

1	Engine	Story Engine	Imposes atop-level story on the open-ended	V2.0
•		, <u>-</u>	interactions	
2	Engine	Behavior Engine	Implements Sensor, Behavior, Emotion and Learning subsystems	<b>V1.0</b>
3	Engine	Music Engine	Plays out emotionally-colored music in response to the user's and characters' actions	V1.0
4	Engine	Cinem a Engine	Controls the autonomous camera and lighting of the scene	<b>V1.</b> 0
5	Engine	Animation Engine	Interprets the behavior system commands based on the character's motor skills	V1.0
6	Data	Al Graph Data Structure	Holds all behavior, emotion, motor and learning- related data for all characters, world and camera	<b>VI</b> ,(
7	Data	ing File Specification	written document (not code)	V1.0
8	Deta	ing Perser	read/write functionality for ling file format	. VI.(
9	Player	Application Main	Conains the Player main loop	٧1.(
	Player	Application Update	Takes care of Versioning of the Player itlest, looks for available updates and manages them	۱.۱۷
11	Player	Persistent State Manager	Keeps track of the state of the scene as changed by the user, talks to Persister	V1.1
2	Player	Code Enter	Allows the user to enter PowerCodes, talks to Authorizer	VI.(
13	Player	Graphics Adapter WildTangent	Profides an interface between animation engine and WildTangent graphics	<b>VI</b> .I
4	Player	Graphics Adapter 2D	Profides an interface between animation engine and a possible 2D graphics solution	<b>V2</b> .
7	Player	Java API V1.0 Specification	written document (not code)	V2.0
8	Player	Java API VI.0 Implementation	Defines an API to accessing the Engine's functionality from Java	<b>V</b> 2.0
15	External	Persister	A module responsible for exchange between Persistent State Manager and a storage device	<b>VI</b> .(
6	External	Authorizer	A module responsible for exchange between Code Enter and a code varifier of choice	₩.
18	Tool	Application Main	Consins the Tool main loop	¥2.
19	Tool	ing Parser	react/write functionality for ling (redestioned)	¥2.
20	Tool	Importer WildTengent	A parser for WildTengent's 3D data files, will have to cooperate directly with the company	<b>V</b> 2.
21	Tool	Importer .mb	A perser for Maya proprietery deta files, we'll have to cooperate directly with the company	<b>V3</b> .
22	Tool	Importer .max	A perser for 3D Studio MAX proprietary data files; we'll have to cooperate directly with the company	V3.
23	Tool	other Importers	based on the developers' requirements	Y3.0
24	Tool	Graph Libraries	General software libraries for creating, manipulating and displaying graph structures	V2.
25	Tool	GUI Sensor	GUI for developing and editing Sensor networks	V2.
26	Tool	GUI_Behavior	GUI for developing and editing Behavior networks	¥2.
27	Tool	GUI Emotion	GUI for developing and editing Emotion networks	<b>V</b> 2.
28	Tool	GUI Learning	GUI for developing and editing Learning networks	<u> V2.</u>
29	Tool	GUI Motor	GUI for developing and editing Motor networks	V2.
30	_Tool	3D Scene Graph	A 3D scene graph for the real-time preview	V2.
31	Tool	3D Real-Time Graphics	A 3D real-time graphics engine; either licensed 3rd party or developed in-house	V2.
32	Tooi	Exporter WildTengent	An exporter for WildTengent's date files; will have to cooperate directly with the company	V2.
33	Tool	Exporter 2D	An exporter for 2D graphics	V3.




FIG. 36




FIG. 37




FIG. 38

